

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1993-2003

**Bureau of Health Policy and Vital Statistics
Division of Health
Idaho Department of Health and Welfare**

December 2004

TABLE OF CONTENTS

	<u>Page</u>
Purpose	1
 <u>Induced Abortions Occurring in Idaho</u>	
Definition and limitations	2
District and county of occurrence, 1993-2003 (Table 1).....	3
Selected demographic characteristics, 1993-2003 (Table 2A).....	4
Selected demographic characteristics (percent), 1993-2003 (Table 2B)	5
Idaho residence status, 1993-2003 (Graph 1).....	6
Marital status, 1993-2003 (Graph 2).....	6
Age, 1993-2003 (Graph 3).....	7
Number of previous abortions, 1993-2003 (Graph 4).....	7
Procedure characteristics, 1993-2003 (Table 3A).....	8
Procedure characteristics (percent), 1993-2003 (Table 3B).....	9
Termination procedure by length of gestation, three-year total, 2001-2003 (Table 4).....	10
Length of gestation, three-year total, 2001-2003 (Graph 5).....	10
Age by length of gestation, three-year total, 2001-2003 (Table 5)	11
Age by length of gestation, three-year total, 2001-2003 (Graph 6).....	11
Age by marital status, three-year total, 2001-2003 (Table 6).....	12
Age by marital status, three-year total, 2001-2003 (Graph 7).....	12
Age by number of previous induced abortions, three-year total, 2001-2003 (Table 7).....	13
Age by number of previous induced abortions, three-year total, 2001-2003 (Graph 8).....	13
Patient information materials delivered, 1993-2003 (Table 8).....	14
Informed consent, Aged <18, 2003 (Table 9).....	14
 <u>Induced Abortions to Idaho Residents</u>	
Definition and limitations	15
District and county of residence, 1993-2003 (Table 10).....	16
State of occurrence, 1993-2003 (Table 11).....	17
Occurring in Idaho and out of state, 1993-2003 (Graph 9).....	17
Age, abortion rate, and abortion ratio, 1993-2003 (Table 12).....	18
 <u>Appendix</u>	
Counties comprising Idaho public health districts	19

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Health Policy and Vital Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1993 - 2003.

INDUCED ABORTIONS OCCURRING IN IDAHO 1993-2003

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1993 to 2003, the number of induced abortions occurring in Idaho decreased 32.6 percent from 1,352 in 1993 to 911 in 2003. In 2003, 92.0 percent of abortions occurred in Ada County; 5.4 percent occurred in Bannock County and 2.6 percent occurred in Blaine County.

The number of abortions occurring to Idaho residents in Idaho decreased 29.9 percent from 1,243 in 1993 to 871 in 2003. At the same time, the number of abortions occurring to out-of-state residents in Idaho decreased 63.3 percent. Of the 1,352 abortions occurring in Idaho in 1993, 109 (8.1 percent) were to out-of-state residents compared with 40 out of 911 (4.4 percent) in 2003.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1993-2003

PLACE OF OCCURRENCE	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IN IDAHO	1,352	1,047	970	1,022	878	888	867	801	738	829	911
District 1	-	-	-	1	-	-	1	-	-	-	-
District 2	126	23	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	1	-	-	-	-	-
District 4	1,039	935	910	943	787	822	798	699	652	756	838
District 5	124	1	4	31	35	24	24	30	32	10	24
District 6	63	88	54	47	56	40	43	72	53	63	49
District 7	-	-	2	-	-	1	1	-	1	-	-
Ada	1,039	935	910	943	787	822	798	699	652	756	838
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	63	88	54	47	56	40	43	72	53	63	49
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	3	30	34	24	24	30	32	10	24
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	1	-	-	-	-	-	-	-
Bonneville	-	-	2	-	-	1	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	1	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	1	-	-	-	-
Latah	126	23	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	1	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	1	-	-
Minidoka	124	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	1	1	1	1	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.
Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1993-2003

DEMOGRAPHIC CHARACTERISTICS	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IN IDAHO	1,352	1,047	970	1,022	878	888	867	801	738	829	911
Age:											
10-14	12	4	8	15	10	8	3	7	4	4	3
15-19	290	256	244	265	226	221	229	159	168	176	178
15-17	106	97	88	99	91	69	72	53	54	66	47
18-19	184	159	156	166	135	152	157	106	114	110	131
20-24	464	327	278	284	277	272	246	270	220	259	304
25-29	243	208	173	194	157	159	164	160	145	171	171
30-34	191	138	142	135	90	114	117	92	95	110	137
35-39	123	82	105	95	92	87	73	78	71	73	74
40-44	28	29	17	33	24	26	32	33	29	35	43
45+	1	2	3	1	2	-	3	2	5	1	1
Not stated	-	1	-	-	-	1	-	-	1	-	-
Idaho residence status:											
Resident	1,243	972	904	962	840	862	839	779	712	800	871
Non-resident	109	75	66	60	38	26	28	22	26	29	40
Marital status:											
Married	342	259	215	212	167	174	218	168	168	178	238
Not married	1,006	785	755	808	711	712	649	632	569	650	671
Not stated	4	3	-	2	-	2	-	1	1	1	2
Previous induced abortions:											
None	976	763	718	744	658	657	672	637	597	627	691
1	260	200	195	202	155	173	137	117	96	149	159
2	77	53	35	53	45	40	34	33	29	39	38
3+	36	28	20	17	19	17	24	13	14	12	16
Not stated	3	3	2	6	1	1	0	1	2	2	7
Race/ethnicity:											
White	1,308	1,004	920	971	819	834	813	751	679	769	845
Black	5	7	5	9	10	7	10	8	13	15	11
Native American	17	9	19	15	14	13	10	10	17	7	10
Asian/Pacific Islander	18	21	25	24	31	31	32	23	24	32	32
Other	-	4	1	-	2	-	0	-	1	2	-
Race not stated	4	2	-	3	2	3	2	9	4	4	13
Hispanic*	75	75	50	96	91	102	82	87	92	90	110

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics. Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1993-2003

DEMOGRAPHIC CHARACTERISTICS	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IN IDAHO	1,352	1,047	970	1,022	878	888	867	801	738	829	911
Age:											
10-14	0.9%	0.4%	0.8%	1.5%	1.1%	0.9%	0.3%	0.9%	0.5%	0.5%	0.3%
15-19	21.4	24.5	25.2	25.9	25.7	24.9	26.4	19.9	22.8	21.2	19.5
15-17	7.8	9.3	9.1	9.7	10.4	7.8	8.3	6.6	7.3	8.0	5.2
18-19	13.6	15.2	16.1	16.2	15.4	17.1	18.1	13.2	15.5	13.3	14.4
20-24	34.3	31.3	28.7	27.8	31.5	30.7	28.4	33.7	29.9	31.2	33.4
25-29	18.0	19.9	17.8	19.0	17.9	17.9	18.9	20.0	19.7	20.6	18.8
30-34	14.1	13.2	14.6	13.2	10.3	12.9	13.5	11.5	12.9	13.3	15.0
35-39	9.1	7.8	10.8	9.3	10.5	9.8	8.4	9.7	9.6	8.8	8.1
40-44	2.1	2.8	1.8	3.2	2.7	2.9	3.7	4.1	3.9	4.2	4.7
45+	0.1	0.2	0.3	0.1	0.2	-	0.3	0.2	0.7	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	91.9%	92.8%	93.2%	94.1%	95.7%	97.1%	96.8%	97.3%	96.5%	96.5%	95.6%
Non-resident	8.1	7.2	6.8	5.9	4.3	2.9	3.2	2.7	3.5	3.5	4.4
Marital status:											
Married	25.4%	24.8%	22.2%	20.8%	19.0%	19.6%	25.1%	21.0%	22.8%	21.5%	26.2%
Not married	74.6	75.2	77.8	79.2	81.0	80.4	74.9	79.0	77.2	78.5	73.8
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	72.3%	73.1%	74.2%	73.2%	75.0%	74.1%	77.5%	79.6%	81.1%	75.8%	76.4%
1	19.3	19.2	20.1	19.9	17.7	19.5	15.8	14.6	13.0	18.0	17.6
2	5.7	5.1	3.6	5.2	5.1	4.5	3.9	4.1	3.9	4.7	4.2
3+	2.7	2.7	2.1	1.7	2.2	1.9	2.8	1.6	1.9	1.5	1.8
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race/ethnicity:											
White	97.0%	96.1%	94.8%	95.3%	93.5%	94.2%	94.0%	94.8%	92.5%	93.2%	94.1%
Black	0.4	0.7	0.5	0.9	1.1	0.8	1.2	1.0	1.8	1.8	1.2
Native American	1.3	0.9	2.0	1.5	1.6	1.5	1.2	1.3	2.3	0.8	1.1
Asian/Pacific Islander	1.3	2.0	2.6	2.4	3.5	3.5	3.7	2.9	3.3	3.9	3.6
Other	-	0.4	0.1	-	0.2	-	-	-	0.1	0.2	-
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hispanic*	5.6	7.2	5.2	9.4	10.4	11.5	9.5	11.0	12.5	10.9	12.2

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable.


Note: Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1993-2003




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1993-2003



Note: Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.
 Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.


Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1993-2003



Note: Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1993-2003



Note: Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1993-2003

PROCEDURE CHARACTERISTICS	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IN IDAHO	1,352	1,047	970	1,022	878	888	867	801	738	829	911
Weeks of gestation:											
<9	674	480	487	523	466	446	488	476	488	501	540
9-10	404	345	322	312	251	297	236	217	153	211	236
11-12	203	162	111	135	121	104	106	74	74	87	103
13-15	52	41	33	35	26	25	20	14	12	18	13
16-20	12	13	12	10	9	10	8	12	6	8	12
21-24	2	5	5	4	2	5	7	4	1	2	3
25+	1	1	-	1	2	-	-	1	2	1	1
Not stated	4	-	-	2	1	1	2	3	2	1	3
Termination procedure:											
Suction curettage	1,343	1,030	960	1,002	855	872	853	784	724	823	895
Medical (nonsurgical)*	-	-	-	-	-	-	3	8	7	2	10
Dilation and evacuation (D&E)	1	6	2	3	4	1	1	3	1	1	3
Intra-uterine instillation (saline / prostaglandin)	6	9	8	4	4	2	4	4	2	2	1
Sharp curettage (D&C)	1	1	-	2	-	4	1	1	3	-	-
Hysterotomy / Hysterectomy	-	-	-	1	1	-	1	1	-	1	-
Other	1	1	-	10	14	9	4	-	-	-	1
Not stated	-	-	-	-	-	-	-	-	1	-	1

* The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications. Additional procedures may be used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics
Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1993-2003

PROCEDURE CHARACTERISTICS	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IN IDAHO	1,352	1,047	970	1,022	878	888	867	801	738	829	911
Weeks of gestation:											
<9	50.0%	45.8%	50.2%	51.3%	53.1%	50.3%	56.4%	59.6%	66.3%	60.5%	59.5%
9-10	30.0	33.0	33.2	30.6	28.6	33.5	27.3	27.2	20.8	25.5	26.0
11-12	15.1	15.5	11.4	13.2	13.8	11.7	12.3	9.3	10.1	10.5	11.3
13-15	3.9	3.9	3.4	3.4	3.0	2.8	2.3	1.8	1.6	2.2	1.4
16-20	0.9	1.2	1.2	1.0	1.0	1.1	0.9	1.5	0.8	1.0	1.3
21-24	0.1	0.5	0.5	0.4	0.2	0.6	0.8	0.5	0.1	0.2	0.3
25+	0.1	0.1	-	0.1	0.2	-	-	0.1	0.3	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure:											
Suction curettage	99.3%	98.4%	99.0%	98.0%	97.4%	98.2%	98.4%	97.9%	98.2%	99.3%	98.4%
Medical (nonsurgical)*	-	-	-	-	-	-	0.3	1.0	0.9	0.2	1.1
Dilation and evacuation (D&E)	0.1	0.6	0.2	0.3	0.5	0.1	0.1	0.4	0.1	0.1	0.3
Intra-uterine instillation (saline / prostaglandin)	0.4	0.9	0.8	0.4	0.5	0.2	0.5	0.5	0.3	0.2	0.1
Sharp curettage (D&C)	0.1	0.1	-	0.2	-	0.5	0.1	0.1	0.4	-	-
Hysterotomy / Hysterectomy	-	-	-	0.1	0.1	-	0.1	0.1	-	0.1	-
Other	0.1	0.1	-	1.0	1.6	1.0	0.5	-	-	-	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Note: Percent distributions are based on records with known data.

Additional procedures may be used for the termination.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - Not Applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2001-2003


TERMINATION PROCEDURE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,478	1,529	600	264	43	26	6	4	6
Suction curettage	2,442	1,521	600	262	41	12	-	2	4
Medical (nonsurgical)	19	8	-	2	-	4	3	2	-
Dilation and evacuation (D&E)	5	-	-	-	-	4	1	-	-
Intra-uterine instillation (saline / prostaglandin)	5	-	-	-	-	3	2	-	-
Sharp curettage (D&C)	3	-	-	-	2	1	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	1	-	-	-
Other	1	-	-	-	-	1	-	-	-
Not stated	2	-	-	-	-	-	-	-	2

Dash (-) represents zero.

Additional procedures may be used for the termination.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2001-2003



Note: Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2001-2003

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,478	1,529	600	264	43	26	6	4	6
10-14	11	6	2	3	-	-	-	-	-
15-19	522	279	131	88	16	4	2	2	-
15-17	167	87	41	31	6	2	-	-	-
18-19	355	192	90	57	10	2	2	2	-
20-24	783	489	186	84	16	5	1	-	2
25-29	487	314	120	40	7	2	2	1	1
30-34	342	222	89	22	1	6	1	-	1
35-39	218	138	50	20	2	6	-	1	1
40-44	107	77	20	6	1	2	-	-	1
45+	7	4	2	-	-	1	-	-	-
Not stated	1	-	-	1	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2001-2003



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2001-2003

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	2,478	1,890	584	4
10-14	11	10	1	-
15-19	522	497	25	-
15-17	167	165	2	-
18-19	355	332	23	-
20-24	783	656	127	-
25-29	487	338	146	3
30-34	342	200	142	-
35-39	218	127	91	-
40-44	107	59	48	-
45+	7	3	4	-
Not stated	1	-	-	1

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2001-2003



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2001-2003

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	2,478	1,915	404	106	42	11
10-14	11	11	-	-	-	-
15-19	522	484	33	3	1	1
15-17	167	162	4	1	-	-
18-19	355	322	29	2	1	1
20-24	783	616	132	21	9	5
25-29	487	350	95	34	7	1
30-34	342	228	81	18	13	2
35-39	218	148	42	17	10	1
40-44	107	72	19	13	2	1
45+	7	6	1	-	-	-
Not stated	1	-	1	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2001-2003



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Information Materials Delivered
1993-2003

Were Patient Information Materials Delivered?

Year	Yes	No	Unknown	Total
1993	1,181	2	169	1,352
1994	1,008	1	38	1,047
1995	912	21	37	970
1996	957	33	32	1,022
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911

Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent, Aged <18
2003

Total Abortions Aged <18	50
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent and the minor	49
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	1
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	-

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1993-2003

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Health Policy and Vital Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate. The footnotes reflect an attempt to identify appropriate cautions and limitations.

Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
District and County of Residence
1993-2003

RESIDENCE	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IDAHO RESIDENT	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620
District 1	369	397	418	407	390	395	377	465	428	391	395
District 2	255	202	216	230	204	193	182	166	174	158	187
District 3	231	203	169	180	150	198	161	153	149	157	191
District 4	674	580	635	660	603	617	619	536	505	558	603
District 5	212	149	113	142	112	95	84	99	91	91	124
District 6	148	122	114	106	78	89	76	62	61	70	62
District 7	84	103	103	81	86	49	62	72	65	68	58
Ada	627	534	591	615	558	579	571	505	471	526	571
Adams	4	1	4	2	-	2	3	1	3	2	3
Bannock	104	90	83	73	42	63	53	45	40	46	40
Bear Lake	3	-	3	1	2	1	1	1	2	1	2
Benewah	10	17	17	19	11	16	14	19	13	13	11
Bingham	17	17	19	17	17	12	10	10	11	11	10
Blaine	55	49	39	60	53	40	33	41	42	35	51
Boise	10	10	5	5	3	7	7	2	4	4	1
Bonner	69	62	59	77	63	61	66	82	82	68	57
Bonneville	58	69	55	49	52	27	35	40	38	45	38
Boundary	18	16	13	9	12	13	11	18	7	7	10
Butte	5	-	-	1	1	3	-	-	-	1	2
Camas	1	-	1	-	1	-	-	-	-	-	-
Canyon	180	157	133	140	125	162	135	129	127	131	160
Caribou	2	5	3	1	2	2	5	3	1	1	3
Cassia	21	13	6	8	8	6	4	6	7	-	6
Clark	1	-	1	-	-	-	-	1	-	1	-
Clearwater	11	12	8	16	9	10	10	9	8	10	7
Custer	3	3	6	5	3	4	6	4	4	4	4
Elmore	27	22	24	23	25	24	32	20	17	22	21
Franklin	4	6	1	6	5	4	7	-	4	-	3
Fremont	5	7	5	3	3	-	5	6	2	2	2
Gem	18	19	6	13	10	7	7	6	4	11	8
Gooding	10	6	4	10	5	2	8	8	2	7	7
Idaho	15	16	20	14	19	12	7	10	13	9	12
Jefferson	5	3	6	4	6	2	3	4	5	3	2
Jerome	21	17	10	13	7	7	6	6	7	8	9
Kootenai	243	277	305	268	280	276	263	315	308	281	295
Latah	122	84	97	109	89	84	85	76	73	83	100
Lemhi	3	14	15	12	10	10	11	12	10	6	10
Lewis	9	9	6	4	6	6	5	4	6	5	6
Lincoln	3	4	2	2	3	-	-	3	-	-	1
Madison	8	6	4	2	4	1	2	2	3	3	-
Minidoka	21	10	13	8	6	9	5	5	5	7	10
Nez Perce	98	81	85	87	81	81	75	67	74	51	62
Oneida	1	1	-	1	4	1	-	-	-	2	1
Owyhee	5	5	4	6	5	7	5	5	1	3	4
Payette	18	16	13	14	8	16	9	9	13	5	12
Power	12	3	5	6	5	3	-	3	3	8	1
Shoshone	29	25	24	34	24	29	23	31	18	22	22
Teton	1	1	11	6	8	5	-	3	3	4	2
Twin Falls	80	50	38	41	29	31	28	30	28	34	40
Valley	10	14	15	17	17	7	9	9	13	6	10
Washington	6	5	9	5	2	4	2	3	1	5	4

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.


Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1993-2003

STATE OF OCCURRENCE	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IDAHO RESIDENT	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620
Abortions in Idaho	1,243	972	904	962	840	862	839	779	712	800	871
Abortions out of state	730	784	864	844	783	774	722	774	761	693	749
Montana	18	40	62	66	68	60	46	43	43	16	25
Oregon	23	24	32	36	49	61	67	61	67	60	57
Utah	156	139	150	117	92	86	74	64	71	70	79
Washington	530	580	618	623	572	562	533	605	575	546	586
All others	3	1	2	2	2	5	2	1	5	1	2

Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1993-2003



Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.
Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1993-2003

AGE	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
TOTAL IDAHO RESIDENT	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620
Age:											
10-14	19	5	16	21	16	13	7	12	10	9	12
15-19	449	431	435	465	406	384	394	346	362	326	336
15-17	175	170	183	168	166	139	125	129	128	131	105
18-19	274	261	252	297	240	245	269	217	234	195	231
20-24	676	552	508	504	480	524	471	502	453	485	553
25-29	330	341	355	347	325	324	289	312	258	286	303
30-34	273	222	229	252	184	201	205	179	192	187	221
35-39	178	141	170	163	161	144	138	147	129	139	133
40-44	44	56	46	52	47	40	50	51	55	57	58
45+	1	2	8	2	4	4	7	2	9	3	3
Not stated	3	6	1	-	-	2	-	2	5	1	1
Abortion rate per 1,000 females in age group:											
Total ¹	8.1	7.0	6.9	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6
Age:											
10-14	0.4	0.1	0.3	0.4	0.3	0.3	0.1	0.2	0.2	0.2	0.2
15-19	9.8	8.9	8.5	8.8	7.5	7.0	7.2	6.3	6.5	6.1	6.4
15-17	6.3	5.8	6.0	5.3	5.2	4.3	4.0	4.0	3.9	4.2	3.4
18-19	15.1	13.5	12.3	13.9	10.9	10.7	11.6	9.5	10.1	9.0	10.7
20-24	17.8	13.9	12.2	11.9	10.9	11.5	10.0	11.1	9.9	9.4	10.2
25-29	9.9	10.2	10.3	9.6	8.7	8.4	7.2	7.6	6.1	6.9	7.1
30-34	6.6	5.4	5.7	6.5	4.9	5.4	5.5	4.3	4.6	4.3	5.1
35-39	4.0	3.1	3.7	3.5	3.5	3.2	3.1	3.1	2.7	3.1	3.0
40-44	1.1	1.3	1.0	1.1	1.0	0.9	1.1	1.0	1.1	1.1	1.2
45+	-	0.1	0.2	-	0.1	0.1	0.2	-	0.2	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group:											
Total ²	113.3	100.1	98.2	97.3	87.6	84.5	78.6	76.5	71.2	71.2	74.3
Age:											
10-14	760.0	122.0	381.0	807.7	444.4	464.3	225.8	750.0	625.0	562.5	631.6
15-19	194.0	186.7	174.8	186.9	174.1	156.7	164.4	147.9	154.8	156.9	161.8
15-17	216.3	206.3	223.7	201.7	222.5	177.3	157.4	192.8	191.3	225.1	192.7
18-19	182.1	175.8	150.8	179.5	151.3	147.1	167.9	129.9	140.1	130.3	150.9
20-24	126.8	103.0	93.6	88.7	86.1	86.1	76.0	79.2	71.5	72.2	79.8
25-29	68.9	71.0	71.2	65.7	61.4	58.1	50.1	53.8	44.5	47.2	46.8
30-34	79.6	65.2	68.1	74.7	52.9	59.0	56.8	46.9	50.3	46.0	52.4
35-39	138.4	104.2	120.8	115.4	107.2	97.8	91.3	90.6	79.5	84.3	77.8
40-44	195.6	223.1	172.3	190.5	152.6	128.2	152.0	144.9	156.3	159.7	168.6
45+	200.0	105.3	381.0	95.2	363.6	285.7	304.3	117.6	529.4	115.4	150.0
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1 Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1993-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2000-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003 are based on July 1, 2003 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release date August 18, 2004.

2 Total abortion ratio: Number of induced abortions per 1,000 live births.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

APPENDIX **Counties Comprising Idaho Public Health Districts**



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton